International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

Advanced Predictive Approaches to Talent Management Employee Retention Productivity and Career Growth

Dr.Kavitha P[1], Dr.R Dhanasekaran[2], Dr.Vijaya Rani N[3]

[1](Assistant Professor
GRD School of Commerce and International Business
GRD College of Science- Coimbatore-46)

[2](Assistant Professor
GRD School of Commerce and International Business
GRD College of Science- Coimbatore-46)

[3](Assistant Professor
GRD School of Commerce and International Business
GRD College of Science- Coimbatore-46
vijayaranishankar@gmail.com)

Abstract- Today's workforce calls for a pro-active approach towards talent management beyond the existing reactive approach. This paper develops an integrated predictive model based on deep learning and graphical architectures that will model employee retention probability, productivity dynamics, and career trajectory in parallel. In contrast to the current practice of dealing with each of these aspects separately, the methodology introduced in the paper is based on sequential HRIS data and relational networks to derive insights for talent management. The model utilizes the LSTM-Attention mechanism to predict retention probability and GNN for personalized career planning, making it possible to predict retention, optimize productivity, and plan career development in parallel. Comparative analysis of the models' performance shows that an integrated architecture outperforms separate machine learning models in terms of modeling interactions between retention, productivity, and growth outcomes.

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

Keywords- Talent Management, Predictive Analytics, Employee Retention, Career Growth, Deep Learning, Graph Neural Networks, HR Analytics

I. Introduction

The entire process of strategic management of human capital has gone through a revolutionary change in the last decade. It is now evident that workplace stability, productivity of individuals, and career development do not remain separate aspects but are interrelated components of a single ecosystem of talents [3], [8]. Costs associated with employees' turnover include both direct and indirect costs such as recruitment cost, loss of corporate knowledge, decreased morale of teams, and damage to client relations; while stagnant careers lead to decreasing engagement and erosion of productivity [4], [5]. Conventional processes of human resource management, which focus on dealing with retention through exit interviews and productivity through performance reviews, tend to be reactive and disjointed. This approach cannot account for the complex interrelations between probability of leaving, present productivity level, and advancement opportunities of employees [8].

The digital transformation of HR processes has created a huge amount of information about employees' performance evaluations, results of engagement surveys, actions within the LMS, mobility history, and salary growths [3], [8]. Such richness of data allows implementing new methods of predictive modeling that could detect trends beyond human's comprehension ability. The first machine learning applications in the field of HR analytics were mostly oriented towards predicting attrition using a simple binary classification with the help of features like tenure, job satisfaction, and overtime work [2], [3]. Although these algorithms provided good discriminative power, they solved only one part of the talent management problem. It's just as bad if an employee stays but becomes disengaged as if he or she leaves, and retaining people without promoting them is a slow attrition of capabilities and motivation [4], [5].

Recently, more advanced computational techniques have been studied. It has been shown that deep learning models, especially those based on LSTM networks

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

supplemented by attention mechanisms, possess sufficient abilities to capture temporal relationships within the career trajectory, taking into account the impact of training opportunities, role changes, and involvement variability on mobility and retention [1]. Simultaneously, Graph Neural Networks have proven themselves as an efficient approach to the modeling of relations within the organization, providing personal career paths that include skill proximity, mentoring networks, and organizational opportunities landscapes [6]. All this indicates the technical feasibility of the development of the unified forecasting model predicting retention probability, productivity changes, and career development.

This research paper aims to solve the problem of disconnect between predictive applications and talent intelligence in general. The methodology of this paper is based on combining sequential prediction of events in the life of employees and graph representation of connections between the members of the work force, which results in three kinds of outputs simultaneously: employee's probability of leaving the company, productivity forecast and advice on career growth. This methodology is meant to be implemented into current HR information system architecture and will provide predictions useful for managers' discussion, learning budgeting and succession planning. The following sections include review of the literature on prediction methods, methodology with architectural drawings, comparison of performance of the models and conclusions.

II. Literature Survey

The use of predictive analytics in talent management has been developed from mere descriptive reports on the workforce to highly advanced machine learning models that can model complex behavior patterns [3], [8]. Al-Shammari et al. performed a systematic review of the literature on big data and predictive analytics for strategic human resource management, with talent retention and performance being identified as primary applications of predictive models with continued issues in terms of data integration and interpretability [8]. Stor et al. studied the mediating effect of HRM outcomes on the link between employee retention and organizational performance

among 200 multinationals, with retention programs being seen to strongly increase financial, innovation, and quality outcomes especially during crises [4].

From a methodological standpoint, initial attempts at predicting employee attrition were carried out through the use of ensemble methods with manually designed features. An online application of the Random Forest algorithm on the basis of the IBM HR Analytics dataset revealed total working years, age, and whether an employee works overtime as main factors influencing attrition, and implemented the trained model using a Streamlit web interface [2]. Following research extended the model types considered to include Gradient Boosting and Logistic Regression algorithms, where it was shown that ensemble methods had higher discrimination in predicting turnover [3], [5]. The CatBoost algorithm used with SHAP explainability showed good classification results, as well as solved the problem of interpretability associated with complex models, identifying tenure, position, and salary as main features [7]. All these studies prove the possibility of successful attrition prediction but have one common drawback: they consider retention as a stand-alone variable, without taking into account its connection with productivity and professional growth.

Deep learning methodologies have sought to overcome this limitation through modeling of the temporal dependencies between employee movements. The hybrid LSTM-Attention model introduced by scientists to forecast the internal mobility and retention risks can be considered a substantial step forward, allowing one to see how the sequence of various HR events (completion of training courses, switching of teams, fluctuations in engagement levels) affects future results while using attention mechanisms to draw attention to the most impactful periods of time for the prediction [1]. While the mentioned research has proven the ability of sequential models to improve the predictive accuracy compared to benchmarking models using only static features, its focus is limited to mobility and retention without providing any insights into productivity or career progress. Graph methodologies provide additional functionality. CareerForge-AI, an innovative multi-dimensional Graph Neural Network approach, allows predicting the future performance and generating individual career

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

paths by modeling the organization as a relational structure, demonstrating significant decreases in regrettable turnover and increases in internal mobility [6].

The linkage between retention, productivity, and career advancement prediction has been examined within certain cases of great value. SAP SuccessFactors Career Insights uses AI technology for identifying skills gaps and recommending learning activities, showing a decrease in time to competence and an increase in employees' involvement in training [9]. Despite being proprietary and not peer-reviewed, such practical examples show the market's interest in linking retention, productivity, and career prediction. This research is based on the existing experience and proposes an integrated architecture to predict such factors.

III. Proposed Methodology

The suggested forecasting mechanism combines two neural network approaches that complement each other: temporal retention-productivity and a graph-based career development engine to form an intelligent talent system. The method is based on three main data sources: a sequence of events history for each employee provided by HRIS systems, static data about employees and their performance, and relational graphs describing organizational hierarchies, collaboration, and skill adjacency. The architecture of the whole system is shown in Figure 1 below.




Figure 1: Integrated Predictive Framework Architecture

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

The temporal retention-productivity model adopts a Long Short-Term Memory architecture with an attention mechanism, aimed at handling variable-length sequences of employee events. Input sequences are formed based on HRIS data for at least twenty-four months in the case of each employee, including such components as performance evaluations, engagement survey results, counts of actions in the learning platform, salary changes, role changes, and managerial changes. Each kind of event is represented within a continuous vector space, where categorical variables (like the type of a role change or training) are learned using entity embeddings while continuous variables (performance, tenure) are normalized and mapped via dense layers. An LSTM encoder processes the input sequence while an attention layer calculates weights of the importance of each time step of the sequence, helping the model highlight critical moments, like a drop in engagement before resignation or productivity gain after a role change.




Figure 2: LSTM-Attention Temporal Model for Joint Retention and Productivity Prediction

Two outputs are generated by the model based on one shared representation. The first output is the retention risk score, indicating the probability of an employee leaving voluntarily in the coming six to twelve months. The second output is the productivity trajectory forecast, indicating either the predicted performance score or the objective measure of productivity in the coming period. The multi-task learning approach is used in the model, in which the shared representation is fed into two different output layers,

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

each with its own loss function, enabling the model to take advantage of temporal similarities while maintaining differences in retention and productivity.

The graph-based career growth engine creates a heterogeneous workforce graph in which the nodes are employees, skills, job roles, and learning resources, while the edges contain information regarding relations such as allocation to roles, skill set, frequency of collaborations, and mentorships. Graph Neural Networks are used to perform message passing in order to create embeddings of nodes that take into account not only personal characteristics but also their place in the organizational graph structure. The problem of career growth prediction is formulated as a link prediction and ranking problem where the possible transitions between roles and sequences of learning paths for each employee node are rated according to skill similarity and organizational demand signals. In the Graph Neural Network architecture, different attention mechanisms are applied in the process of aggregation of neighbors' information depending on the edge type.




Figure 3: Integration Layer and Output Generation Pipeline

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

The integration layer integrates the outputs of both models using a gating function that takes into account the cross-model consistency signals and tunes the prediction accordingly. For example, if the temporal model detects high risk of retention while the graph model detects few internal movement options, the integration layer marks the employee for urgent career intervention in addition to retention-based interventions. The system architecture is geared towards batch prediction at the weekly/monthly cycle, with predictions provided to the HR dashboard through API calls. Figure 3 illustrates the integration layer and prediction pipeline.

IV. Analysis

Comparative Model Performance

The integrated framework was tested against existing benchmark frameworks using an organizational dataset spanning several years, which consisted of around 12,000 employee records together with their HRIS events history, performance ratings, and internal mobility results. Three baseline methods were chosen to compare with:

- A Random Forest classifier for predicting employee attrition through static features, which is the traditional way of doing machine learning
- An LSTM predictor without attention and multi-tasking, which is a sequential but independent method for retaining prediction
- A Graph Neural Network predictor for career path prediction without retention-performance joint consideration

The integrated framework was assessed by three kinds of tasks: retention prediction (predicting voluntary separation within one year as binary classification), productivity prediction (next period performance rating regression), and career growth recommendation (ranking subsequent job role transitions).

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

Table 1: Comparative Analysis of Predictive Approaches Across Talent Management Tasks

Model Configuration	Retention Prediction (Discriminative Capacity)	Productivity Forecast (Trajectory Fidelity)	Career Growth Recommendation (Ranking Quality)	Integration Capability
Random Forest (Static Features)	Moderate; limited by snapshot representation	Not supported	Not supported	None; single-task
LSTM (No Attention)	Strong; captures temporal patterns	Weak; not jointly modeled	Not supported	Partial; sequential only
GNN (Career Only)	Not supported	Moderate; structural signals only	Strong; relational modeling	None; single-task
LSTM-Attention (Retention Only)	Very Strong; attention enhances signal	Not supported	Not supported	Partial; interpretable temporal

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

Model Configuration	Retention Prediction (Discriminative Capacity)	Productivity Forecast (Trajectory Fidelity)	Career Growth Recommendation (Ranking Quality)	Integration Capability
Integrated Framework (Proposed)	Very Strong; shared representation improves stability	Strong; multi-task learning leverages retention signals	Strong; graph enhanced by retention context	Full; coordinated outputs with gating

The results of the comparison show that the integrated architecture demonstrates the best performance profile in general, although it depends on the type of the advantage of the architecture. As for retention prediction, the LSTM-Attention architecture shows discriminative abilities that are better than Random Forest models with static features, similar to previous works that demonstrated the usefulness of time event sequences compared to snapshot features in predictions. There is no drop in retention discrimination using the multi-task formulation compared to a single LSTM used for retention, so the use of shared representation learning of productivity prediction works as a regularization technique. Concerning productivity predictions, the integrated architecture shows significantly better performance compared to a GNN-only architecture that does not have information about sequential productivity performance. Furthermore, it seems like productivity predictions of employees with increased departure risks are better calibrated due to the joint learning of retention results.

The quality of career development recommendations, based on the rank correlation of predictions and actual future role changes, is highest for the combined model, but the gain over the GNN-only baseline is relatively small. This is due to the effect of the

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

retention context – employees who were identified as having a high retention risk by the temporal model get modified career development recommendations that favor internal movement paths that decrease the risk of leaving, according to the learnings from past interventions. Radar chart representation of the comparison between all four model architectures on five dimensions can be seen in Figure 4.




Figure 4: Multi-Dimensional Comparison of Model Configurations

Feature Importance and Interaction Effects

Analysis of feature contribution in the unified model shows results matching and augmenting existing literature. For employee retention prediction, weight contributions from the attention layer show a focus on time periods where engagement level is falling and employees are in stagnant roles, with engagement levels low across three or more consecutive periods showing the most important temporal characteristic. This corroborates research that job satisfaction and tenure stagnation are two main factors

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

contributing to attrition, while including temporal characteristics not captured by static models. Productivity prediction shows that performance trend and recent learning activity are important variables for the prediction task.

Career development advice is most sensitive to the adjacency of skills possessed by the individual to the demands of the job, while the closeness of the mentorship network serves as the second-strongest indicator. This is consistent with the assumption that careers develop along paths adjacent to skills and that relational embeddedness is conducive to mobility. Feature importance levels in Figure 5 show the ranking of important features for each of the three prediction tasks, including those that have an impact on more than one task such as engagement trajectories.




Figure 5: Feature Importance Across Prediction Tasks

Discussion of Interdependencies

The core of the research, which posits that retention, productivity, and career progression are interrelated constructs that require joint modeling, is justified by the interaction effects found. Those employees categorized as having a high risk of retention according to the time-based model display different patterns of productivity progression compared to employees with a low risk of retention despite the similar performance levels; specifically, those with a high risk demonstrate the characteristic

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

pattern of productivity leveling or drop starting from four to six months before termination of employment.

The gating process of the integration layer provides tangible benefits by indicating which employees require a joint approach. In cases where there is high retention risk and low confidence of career recommendations (i.e., no viable internal options available), the intelligent system identifies employees in a "critical retention" category, which would not be possible for isolated models—the retention model would provide an indication of retention risk, but without any information about the career path, whereas the career model would indicate the lack of mobility options without linking it to the chances of departure. Figure 6 presents the employee distribution according to the risk and career categories, highlighting the critical retention group.




Figure 6: Retention Risk × Career Opportunity Quadrant Analysis

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

V. Conclusion

In this paper, an integrative approach to the prediction of talent management that simultaneously considers three dimensions such as retention, productivity, and career development has been put forward and discussed. These three aspects have historically been considered individually in academic and practical circles. In this paper, the proposed approach uses the combination of LSTM-Attention temporal model and graph neural network to predict career paths of employees. It can be seen that the integration of both models results in balanced predictions on all three tasks while also predicting the employees who need urgent attention from managers due to high retention risk and lack of opportunities for career development.

The significance of this study in theory is that retention, productivity, and career development should not be seen as separate HR issues but rather as inter-related events sharing common antecedents and dynamic interactions among each other. Since productivity decline appears before any retention risks become evident, and since perceived career opportunity plays an important intermediary role between disengagement and leaving the job, successful talent management must be approached through addressing all three issues at once. Isolating predictive models into one variable may lead to outstanding discriminative capabilities in their particular areas, but overlooks insights that can be drawn from their integration.

From the practitioner's point of view, the model provides the transition path from disconnected HR practices into a unified approach of talent orchestration. The outputs—risk-prioritized retention warnings, productivity predictions for planning and resourcing purposes, and individualized career paths—are expected to give rise to concrete management action: a high-risk individual with potential opportunities for internal movement gets career-oriented retention effort while the latter does not get special attention for position redesign or relocation. The integration of those capabilities into one prediction framework will eliminate information asymmetries and coordination costs associated with disconnected HR practices.

International Journal for Research Trends in Social Science & Humanities
ISSN: 2584-2455
Volume 4, Issue 6
Nov-Dec- 2026, PP 1-16

A few limitations need to be discussed. Firstly, the assessment is conducted using only one organizational dataset, and generalizability of the framework within different industries, different cultures and organization sizes still needs to be proved. Secondly, the use of the graph-based career model is contingent upon the presence of sufficient mobility history to allow for learning of the career pathway patterns. Last but not least, the concerns about the privacy of employees are quite important and need to be addressed, even though it can be achieved using federated learning and differential privacy techniques.

There are several areas that should be explored further in future research. Firstly, prospective validation of the framework, implementation of its use in operational settings and checking whether integration predictions lead to better retention and productivity compared to standard methods. Secondly, extending the temporal framework to include the streams of unstructured data – sentiment from internal communications, collaboration patterns derived from the calendar. And lastly, understanding of the mechanism of the influence of career development interventions on retention and productivity of employees.

The union of the possibilities of deep learning with the availability of increasing amounts of workforce data means that talent management is ripe for a revolution similar to those that have been seen within marketing and finance in the last twenty years. The model presented in this paper can be viewed as one such move towards a revolution, as it is based on the understanding that the talent of an organization is not a series of individuals, but a career network that needs integrated intelligence.

References

1. P. Das, P. Singh, V. Rashmi, J. Pawar, and A. Verma, "Neural Insights into Talent Flow: A Deep Learning Approach to Forecast Internal Mobility and Retention Risk in Dynamic Work Environments," in *Proc. 2025 Seventh Int. Conf. Research in Computational Intelligence and Communication Networks (ICRCICN)*, 2025, pp. 136–141.

2. I. Inggrianti and E. Mulyana, "A Web-Based Machine Learning Application for Employee Attrition Prediction," in *Proc. 2025 19th Int. Conf. Telecommunication Systems, Services, and Applications*, 2025, pp. 1–5.
3. N. K. Rajagopal, S. Chib, A. Singh, M. Sasidharan, E. Chacko, and A. S. Nargunde, "AI in Predictive HR Analytics for Talent Management," in *Proc. 2025 Int. Conf. Recent Innovation in Science Engineering and Technology (ICRISET)*, 2025, pp. 1–7.
4. M. Stor, "Employee retention and company performance results: the mediating role of HRM outcomes in foreign subsidiaries of Central European MNCs," *Employee Relations: The International Journal*, vol. 46, no. 7, pp. 1422–1445, 2024.
5. Y.-Q. Chen and H.-H. Huang, "The Art of Retention: Advancing Sustainable Management Through Age-Diverse Turnover Modeling," *IEEE Access*, vol. 13, pp. 47361–47374, 2025.
6. S. A. Rajagukguk, "CareerForge-AI: Graph Neural Network for Predicting Employee Performance and Personalized Career Paths," in *Proc. 2025 8th Int. Seminar Research of Information Technology and Intelligent Systems (ISRITI)*, 2025, pp. 298–303.
7. J. Mu, N. Rosmawarny, and K. W. Gusti, "Implementation of CatBoost and xAI Models in Streamlit-Based Employee Retention Prediction Application," in *Proc. 2025 7th Int. Conf. Informatics, Multimedia, Cyber and Information System (ICIMCIS)*, 2025, pp. 133–137.
8. M. Al-Shammari, F. A. Al Bin Ali, M. A. AlRashidi, and M. S. Albuainain, "Big Data and Predictive Analytics for Strategic Human Resource Management: A Systematic Literature Review," *Int. J. Comput. Digit. Syst.*, vol. 17, no. 1, 2025.
9. SAP SuccessFactors, "AI-Assisted Career Insights," SAP SuccessFactors 2H 2024 Release documentation, 2024.
10. G. Dorleon, “FIEAP: A Machine Learning Approach for Fair and Interpretable Employee Attrition Prediction,” in *Information Integration and Web Intelligence*, 2024.